



MIKALOR W5 Acid resis reinforced hose clamp



MIKALOR W5 Acid resis reinforced hose clamp

The clamp is made of stainless steel. The screwing is done by a screwdriver, so the clamp can be put on from the hose tail, but also it can be put on from the hose head without the clamp falling off.

It is suitable for chemical industry and other areas, which are exposed to heavy chemicals.

The clamp was made according to the EU 20032/95/EC regulations.


Material:

Both the band and the bolt are made of acid resistant steel (AISI 316). The one-piece steel band edges are rounded.

The clamp can be entirely unfolded.

The product is a permanent storage lots. Meantime, we hold the right of selling the stock in products.

Range of dimensions (mm)	Clamping force (Nm)	Bolt thread / Bolt head width	Band with (mm)	Article number
17 - 19	10	M6 / 8 mm	18	105200
19 - 21	10	M6 / 8 mm	18	105201
21 - 23	10	M6 / 8 mm	18	105202
23 - 25	10	M6 / 8 mm	18	105203
25 - 27	10	M6 / 8 mm	18	105204
27 - 29	10	M6 / 8 mm	18	105205
29 - 31	13	M7 / 10 mm	20	105206
31 - 34	13	M7 / 10 mm	20	105207
34 - 37	13	M7 / 10 mm	20	105208
37 - 40	13	M7 / 10 mm	20	105209
40 - 43	16	M7 / 10 mm	20	105210
43 - 47	16	M7 / 10 mm	20	105211
47 - 51	16	M7 / 10 mm	20	105212
51 - 55	16	M7 / 10 mm	20	105213
55 - 59	16	M7 / 10 mm	20	105214
59 - 63	16	M7 / 10 mm	20	105215
63 - 68	16	M7 / 10 mm	20	105216
68 - 73	30	M8 / 13 mm	25	105217
73 - 79	30	M8 / 13 mm	25	105218
79 - 85	30	M8 / 13 mm	25	105219
85 - 91	30	M8 / 13 mm	25	105220



Range of dimensions (mm)	Clampir	Band width (mm)	Article number	
91 - 97		25	105221	
97 - 104		25	105222	
104 - 112		25	105223	
112 - 121		25	105224	
121 - 130		25	105225	
130 - 140		28	105226	
140 - 150		28	105227	
150 - 162	45	M10 / 15 mm	28	105228
162 - 174	45	M10 / 15 mm	28	105229
174 - 187	45	M10 / 15 mm	28	105230
187 - 200	45	M10 / 15 mm	28	105231
200 - 213	45	M10 / 15 mm	28	105232
213 - 226	45	M10 / 15 mm	28	105233
226 - 239	45	M10 / 15 mm	28	105234
239 - 252	45	M10 / 15 mm	28	105235
252 - 265	61	M10 / 15 mm	28	105035
265 - 278	61	M10 / 15 mm	28	105036
278 - 291	61	M10 / 15 mm	28	105037
291 - 304	61	M10 / 15 mm	28	105038
304 - 317	61	M10 / 15 mm	28	105039
317 - 330	61	M10 / 15 mm	28	105040
330 - 343	61	M10 / 15 mm	28	105041
343 - 356	61	M10 / 15 mm	28	105042
356 - 369	61	M10 / 15 mm	28	105043
369 - 382	61	M10 / 15 mm	28	105044
382 - 395	61	M10 / 15 mm	28	105045
395 - 408	61	M10 / 15 mm	28	105046

