



NORFLEX PUR 441 FOO

Image not found or type unknown



lyurethane hose

ane hose/ tubing, fabric reinforced



- flexible hose/ ducting for liquids and
- food industry, pharmaceutical indust
- conveying of dry foods e.g. rice, cere
- powders, coffee, tea, grains, flour, fro
- injection moulding tool cooling, cooli
- powder spraying, powder coating: e.
- industrial washing machine: washing
- compressed air hose, cooling water h
- fabric reinforced hose/ braided hose
- heating hose: interior hose for media

PROPERTIES

- fabric reinforced
- highly flexible
- highly abrasion resistant
- crush resistant
- Food grade wall, complies with: EU-Directive 10/2011, EC 1935/2004 and EU 2015/174
- odourless and tasteless
- microbe and hydrolysis resistant
- good resistance to oil, gasoline and chemicals
- very good low temperature flexibility
- conforms to RoHS guideline
- REACH according to --> Technology / Technical Information / REACH

DELIVERY VARIANTS

- further diameters and lengths available on request
- transparent (standard)
- special colours: full coloured
- customer-specific branding

DESIGN

- NORFLEX® design
- 1. fabric reinforced wall
- 2. smooth interior and exterior; wall: special premium ether-polyurethane (Pre-PUR®)

TEMPERATURE RANGE


- -40°C to 90°C
- short time to 125°C

Felirat: NORFLEX® PUR 441 FOOD

Hőállóság: -40 / +90 C rövid ideig +125 C

Anyaga: Premium Polyurethan (Pre-PUR®)

Élelmiszerszabványok: EU 10/2011, EG 1935/2004, EU 2015/174, a poliuretán: FDA 21 CFR 177.2600



On stock at the manufacturer, short deliver

NORFLEX® PUR 441 FOOD

| Belső ø (mm) | | Cikkszám |
|---------------------|------|-----------------|
| 2,9 | | 441-9029-0000 |
| 4 | | 441-9040-0000 |
| 6 | | 441-9060-0000 |
| 8 | | 441-9080-0000 |
| 9,5 | 13,5 | 441-9095-0000 |
| 10 | 14,5 | 441-9100-0000 |
| 13 | 19 | 441-9130-0000 |
| 19 | 25 | 441-9190-0000 |

